
This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

DESCRIPTION INITIAL APPROVED



## ® RED BARN MACHINE

DWG NO.

SWASHPLATE POSITIONING TOOL

REV

UNIT QTY B/O **B/O INFORMATION OR SPECIFICATIONS** PG. Part # Description Material -1 2 POSITIONING TOOL 6061 3-1/2 X 3-1/2 X 3-5/16 2 -3 1 CASE PLASTIC PELICAN #APP-1300-E N/S BOTTOM FOAM 3 Y-20, BLACK 5 X 7-1/4 X 9-7/16 I.R. SPECIALTIES B/O -7 LID FOAM Y-20, BLACK 1-1/4 X 7-3/16 X 9-1/4 I.R. SPECIALTIES 4 B/O 1 RED BARN PLACARD **PLASTIC** RB41009 N/S

	RBW109-3110-10-101				REV	
	MAT'L		DRAWN BY: CLOUGH			
	UNLESS OTHERWISE DIMENSIONS ARE I	APPROVED D Weil				
	.XXX ± .005 .XX ± .01 FRACTIONS ± 1/32		HEAT TREAT FINISH			
_		BREAK ALL SHARP EDGES .015 x 45°		SPEC		
	OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER		USED ON MODEL			
	PLATING			A109E, A119		
	SCALE 1:2	19/2012	SHEET 1 C	OF 4		

